



## TECHNICAL DATA 1/2

### CRC LABEL OFF SUPER Label remover Ref. : 10806



#### 1. GENERAL DESCRIPTION

---

To remove self-adhesive paper labels from most surfaces in 2-3 minutes after wetting (test on plastic substrates prior use).

#### 2. FEATURES

---

FPS Label Off Super is a solvent mixture specially designed for the removal of self-adhesive paper labels. It penetrates the label paper and dissolves the underlying adhesive. Due to its high dissolving power of acrylate based adhesives – the mostly used type of adhesives for self-adhering labels – labels can be removed easily in one go after only 2 minutes.

The aerosol is equipped with an extension tube, allowing precise spot application on small labels.

#### 3. APPLICATIONS

---


- FPS Label Off Super removes all sorts of paper labels :
  - \* address and production stickers from drums, cans and cardboard boxes.
  - \* identification labels on shelves, drawers or warehouse containers.
  - \* labels on spare parts and tools.
  - \* price indicating labels on glass, china, ceramics, furniture.
  - \* laboratory labels on flasks and bottles.
  - \* adhesive and label residues on labeling machines.
- FPS Label Off Super is very good at dissolving many sticky substances. It is therefore ideal for removing tree resin, chewing gum and tar. Also adhesive remains following the removal of a label, can be dissolved and wiped off.
- NSF registration :K3, registration number: 139426

***A safety data sheet (MSDS) according to EC Regulation N°1907/2006 Art.31 and amendments is available for all CRC products.***



Manufactured by :  
CRC Industries Europe BVBA  
Touwslagerstraat 1 – 9240 Zele – Belgium  
Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34  
www.crcind.com





## TECHNICAL DATA

2/2

### CRC LABEL OFF SUPER

Label remover

Ref. : 10806

#### 4. DIRECTIONS

---

Soak the label with FPS Label Off Super. Most labels can be pulled off in one go after 2 minutes. In difficult cases waiting time can be extended to 15 minutes. If adhesive is still stuck to the substance after the label has been removed, spray FPS Label Off Super on a cloth and wipe off the adhesive residue.

- The aerosol can uses carbon dioxide as propellant and is filled for  $\pm 97\%$  with active product. The extension tube allows precise dosing when used on small labels or difficult to reach areas.
- If FPS Label Off Super is used on plastics or varnished surfaces it is essential to carry out a resistance test before use. The label remover is not suitable for objects made of polystyrene or polycarbonate.
- FPS Label Off Super is a powerful degreasing agent. If it is to be used in large quantities, appropriate protective gloves should be worn. Remove all close-by ignition sources.

#### 5. TYPICAL PRODUCT DATA (without propellant)

---

Smell	:	fresh fruit
Density at 20°C	:	0.78 g/cm <sup>3</sup>
Flashpoint	:	<0°C
Evaporation rate (ether = 1)	:	94

#### 6. PACKAGING

---

Aerosol : 12 x 200 ml

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: [www.crcind.com](http://www.crcind.com).

We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.

Version : 10806 3 0208 01  
Date : 04 February 2010



Manufactured by :  
CRC Industries Europe BVBA  
Touwslagerstraat 1 – 9240 Zele – Belgium  
Tel (32) (0) 52/45.60.11 Fax (32) (0) 52/45.00.34  
[www.crcind.com](http://www.crcind.com)

